WO 2005/079738 PCT/US2005/005190

## CLAIMS

## WHAT IS CLAIMED IS:

1	1. An antimicrobial formulation comprising:			
2	(a) a zinc oxide from between about 2 to 90 percent by weight:			
3	(b) a silver compound, from between about 0.05 to 2 percent by	J		
4	weight, wherein the silver compound is selected from the group			
5	consisting of silver chloride, silver phosphate and silver nitrate;			
6	(c) a copper compound from between about 0.05 to 10 percent	bу		
7	weight, wherein the copper compound is selected from the group			
8	consisting of cupric oxide, cuprous oxide, cuprous iodide, cupric			
9	iodide, cupric phosphate, copper (II) hydrogen phosphate, and cupr	ic		
10	silicate; and			
11	(d) a bismuth compound from between about 2 to 50 percent by	y		
12	weight, wherein the bismuth compound is selected from the group			
13	consisting of bismuth subcarbonate and bismuth subnitrate.			
1	2. The antimicrobial of claim 1, further comprising an iron compound from			
2	between 0.05 to 3 percent by weight, wherein the iron compound is ferric oxide.			
1	3. The antimicrobial formulation of claim 1, further comprising one or more			
2	compounds selected from the group consisting of silica, magnesium oxide, titanium			
3	oxide, partially hydrogenated rosin, barium sulfate and sodium borate.			

WO 2005/079738 PCT/US2005/005190

1	4.	An antimicrol	entimicrobial blend comprising:		
2		(a)	a antimicrobial formulation (A) of claim 1; and		
3		(b)	a medium comprising a compound selected from the group		

of

consisting

4

1

1

2

3

4

1 5. A method of treating microorganisms on a tooth comprising the step of 2 administering to a patient in need thereof an effective amount of the antimicrobial 3 formulation of claim 1 alone or in combination with a dental varnish, stannous 4 fluoride, or sodium fluoride.

phosphoric

acid

and

water.

- 1 6. A method of treating a skin irritation comprising the step of administering to a 2 patient in need thereof an effective amount of the antimicrobial formulation of claim 1 3 alone or in combination with a petroleum jelly, a dental varnish, stannous fluoride, or 4 sodium fluoride, with the proviso that said varnish does not contain chloroform.
- 7. A method of treating fungal infection comprising the step of administering to a 2 patient in need thereof an effective amount of the antimicrobial formulation of claim 1 3 alone or in combination with a dental varnish, stannous fluoride, or sodium fluoride, 4 with the proviso that said varnish does not contain chloroform.
  - 8. A method of treating White Line Disease comprising the step of administering to a patient in need thereof an effective amount of the antimicrobial formulation of claim 1 alone or in combination with a dental varnish with the proviso that said dental varnish does not contain chloroform.

WO 2005/079738 PCT/US2005/005190

1

9.

A method of preventing tooth decay comprising the step of administering to a

2	patie	patient in need thereof an effective amount of the antimicrobial formulation of claim				
3	alone or in combination with a dental varnish, stannous fluoride, or sodium fluoride.					
1	10.	A formulation	n comprising:			
2		(a)	about 4% by weight silica;			
3		(b)	about 6% by weight magnesium oxide;			
4		(c)	about 73% by weight zinc oxide;			
5		(d)	about 5% by weight bismuth subnitrate;			
6		(e)	about 3% by weight ferric oxide;			
7		(f)	about 7% by weight cupric oxide; and			
8		(g)	about 1% by weight silver chloride.			
1	11.	A formulatio	n comprising:			
2		(a)	about 4% by weight silica;			
3		(b)	about 6% by weight magnesium oxide;			
4		(c)	about 81% by weight zinc oxide;			
5		(d)	about 5% by weight bismuth subnitrate;			
6		(e)	about 2% by weight cupric oxide;			
7		(f)	about 1% by weight silver chloride; and			
8		(g)	about 1% by weight titanium chloride.			

WO 2005/079738 PCT/US2005/005190

1	12.	A formulation comprising:		
2		(a)	about 4% by weight zinc oxide;	
3		(b)	about 25% by weight staybelite resin;	
4		(c)	about 14% by weight bismuth subcarbonate;	
5		(d)	about 11% by weight barium sulfate;	
6		(e)	about 2% by weight sodium borate;	
7		(f)	about 7% by weight cuprous oxide; and	
8		(g)	about 1% by weight silver chloride.	
1	13.	A kit compris	sing:	
2		(1) an antimio	crobial formulation comprising:	
3		(a)	a zinc oxide from between about 2 to 90 percent by weight:	
4		(b)	a silver compound, from between about 0.05 to 2 percent by	
5		weigh	at, wherein the silver compound is selected from the group	
6		consis	sting of silver chloride, silver phosphate and silver nitrate;	
7		(c)	a copper compound from between about 0.05 to 10 percent by	
8		weigh	at, wherein the copper compound is selected from the group	
9		consis	sting of cupric oxide, cuprous oxide, cuprous iodide, cupric	
10		iodide	e, cupric phosphate, copper (II) hydrogen phosphate, and cupric	
11		silicat	te; and	
12		(d)	a bismuth compound from between about 2 to 50 percent by	
13		weigh	t, wherein the bismuth compound is selected from the group	
14		consis	sting of bismuth subcarbonate and bismuth subnitrate; and	
15		(2) a dental v	arnish, stannous fluoride or sodium fluoride.	